

Material Safety Data Sheet

Famowood Liquid Filler & Adhesive Hardener

H 2 F 1 R 0 P 4

Eclectic Products, Inc.
1075 Arrowsmith
Eugene OR 97402

Information: 800-767-4667
Emergency: 800-535-5053

Section I - Product Identification

Product Name: Famowood Liquid Filler & Adhesive Hardener
Product Code: 371085201

Section II - Hazardous Ingredients

<u>Composition</u>	<u>CAS No.</u>	<u>Percent</u>
Diethylentriamine	14-40-0	<15

Section III - Physical Data

Specific Gravity: .96 **Boiling Point:** N/A **Solubility:** Partially soluble in water.
Vapor Pressure: N/A **Vapor Density:** N/A
Appearance and Odor: Amber viscous liquid with an amine odor.

Section IV - Fire and Explosion Hazards

Flash Point: 259 ° F (PMCC) **LEL:** N/A **UEL:** N/A

Extinguishing Media: Use water fog, foam, dry chemicals, or carbon dioxide.

Special Fire Fighting Procedures: Water or foam may cause frothing.

Unusual Fire and Explosion Hazards: N/A

Section V - Reactivity

Stability: Stable

Incompatibility: Avoid contact with strong oxidizing agents, mineral acids, and epoxy resins under uncontrolled conditions.

Hazardous polymerization will not occur.

Famowood Liquid Filler & Adhesive Hardener

MSDS Approval Pending

Material Safety Data Sheet

Hazardous Decomposition Products: Thermal decomposition may produce carbon monoxide and organic nitrogen compounds of unknown structure.

Section VI - Employee Protection

Engineering Controls: Local ventilation and exhaust to control vapor and odor.

Respiratory Protection: NIOSH approved respirator required in the absence of proper environmental control. In case of emergencies a self-contained breathing apparatus recommended.

Skin Protection: Impervious, neoprene, or rubber gloves.

Eye Protection: Chemical Safety Goggles.

Other Protection: Coveralls, apron, rubber boots should be used as necessary to prevent contact with material.

Other Engineering Controls: This material should be confined as far as possible within sealed or covered equipment in which case normal ventilation should be adequate. Special ventilation will be needed in areas where vapors are expected to be vented.

Hygienic Practices: Wash with soap and water before eating, drinking, smoking, or using restroom.

Section VII - Health Information

Acute: Will cause burns to eyes and skin. High concentration of vapors can cause severe irritation to the respiratory tract. If swallowed liquid causes severe damage to mucous membranes.

Chronic: Prolonged or repeated exposure may cause asthma and skin sensitization or other allergic responses.

Routes of Entry: Eyes, inhalation, ingestion, and skin contact.

Section VIII - Emergency and First Aid Procedures

Eye Contact: Immediately flush with plenty of water for at least 15 minutes. Lift upper and lower lids occasionally. Get prompt medical attention. (Contact lenses should not be worn while working with this material).

Material Safety Data Sheet

Skin Contact: Wash exposed skin with soap and water for at least 15 minutes. Get medical attention if irritation develops. Remove contaminated clothing, shoes, and thoroughly clean before reuse. Discard contaminated leather articles.

Inhalation: Move exposed person(s) to fresh air. Get medical attention if needed.

Ingestion: Do not induce vomiting. Dilute by giving water or milk if the victim is conscious. Call physician immediately.

Section IX - Spill Procedures

Steps to be taken in case material is released or spilled: Avoid contact with material. Persons not wearing appropriate protective equipment should be excluded from the area of spill until clean-up is complete. Stop spill at source, dike area to prevent spreading, pump liquid to salvage tank. Remaining liquid may be taken up on clay, diatomaceous earth, or other absorbent and shoveled into disposal containers.

Waste Disposal Method: Dispose of as hazardous waste in accordance to local, state, and federal regulations.

Section VI - Disclaimer

The information contained herein is based on the data available to us and is believed to be correct. However, Eclectic Products, Inc. makes no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Eclectic Products, Inc. assumes no responsibility for injury from the use of this product described herein.