`Material Safety Data Sheet May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements. U.S. Department of Labor Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072

IDENTITY (As Used on Label and List)

Revenge Barn & Stable Fly Spray Concentrate

**ID # 4350(2)** Date: July 25, 2013

#### **Section I - Identification**

Bonide Products, Inc. (800) 424-9300 6301 Sutliff Rd. (315) 736-8231 Oriskany, NY 13424

•

#### **Section II – Hazard Identification**

**EMERGENCY OVERVIEW-WARNING!** Combustible liquid and vapor. Harmful or fatal if swallowed. May cause eye irritation. May cause skin irritation. May cause target organ or system damage to the following: Kidney, liver. May cause adverse reproductive effects.



### **Section III – Ingredients/Identity**

Hazardous Components (Specific Chemical Identity: Common Name(s) OSHA PEL ACGIH TLV Other Limits % (Optional)
Permethrin 52645-53-1 None None None 13.30%

\*Contains Petroleum Distillates

#### Section IV-First Aid

EYES: Flush with water for at least 15 minutes. If irritation persists, obtain medical attention.

SKIN: Remove contaminated clothing and wash with soap and water immediately. Obtain medical attention.

INHALATION: Remove to fresh air. If breathing is difficult or if any discomfort persists, obtain medical attention.

INGESTION: Obtain medical attention. Do not induce vomiting.

NOTE TO PHYSICIAN: Contains the pyrethroid insecticide permethrin and has low oral toxicity, moderate dermal toxicity and moderate eye irritation. Initial treatment is removal of exposure by washing, emesis or lavage and is followed by symptomatic and supportive care.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None presently known

# Section V – Firefighting Measures

FLASHPOINT: >105°F (closed cup) FLAMMABILITY LIMITS: UFL: N/A LFL: N/A

EXTINGUISHING MEDIA: Water fog, foam

DEGREE OF FIRE/EXPLOSION HAZARD: Slightly combustible. Overheated, sealed containers are an explosion hazard. Vapors which form inside empty containers may also present an explosion hazard during a fire.

SPECIAL FIRE FIGHTING PROCEDURES: Isolate fire area. Evacuate downwind residents and all areas where fire seriously threatens the product containers. fires, use self-contained breathing apparatus. Wear full protective clothing including rubber boots, neoprene gloves and self-contained breathing apparatus. Attempt to keep drums cool. Do not breathe or contact smoke or vapors.

### **Section VI– Accidental Release Measures**

SPILL OR LEAK: Isolate and post spill area. Wear prescribed protective clothing and equipment. Keep material out of streams and sewers. Contain and absorb spilled material with a solid absorbent such as sand, cat litter, commercial clay or other suitable absorbent. Place in an approved drum and dispose of material following the method outlined below under "Waste Disposal". To decontaminate spill area, tools and equipment, wash with a suitable solution (e.g. organic solvent, detergent, bleach or caustic) and dispose of solution following the method outlined below under "Waste Disposal".

# Section VII - Handling & Storage

STORAGE AND HANDLING: Store in a cool, dry place and avoid excess heat. Store in original container only. Carefully open containers. After partial use, replace bungs or cap and close tightly. Wash hands and other exposed skin surfaces thoroughly prior to smoking or consuming food or beverages. Shower after handling or applying the product. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

#### **Section VIII – Personal Protective Equipment**

PROTECTIVE REQUIREMENTS: WORK CLOTHING: Wear long-sleeved coveralls or uniform, cap, safety shoes and neoprene gloves. Launder clothing separately.

EYE PROTECTION: Where potential of splashing exists, or contact with mist, protective safety glasses, goggles and face shield should be worn. A source of clean water for flushing the eyes should be nearby.

GLOVES: Where chemical protective gloves made of neoprene when handling this product.

RESPIRATORY PROTECTION: For moderate vapor liquid mist exposure, use half face or full face air purifying respirators which are NIOSH/MSHA approved for pesticides.

VENTILATION: Thoroughly ventilate all transport vehicles prior to unloading. General exhaust ventilation is considered sufficient.

# **Section IX - Physical/Chemical Ingredients**

ODOR: Mild solvent odor pH: 5.0-6.0

MELTING POINT: Not Available APPEARANCE: Yellow to brown liquid SOLUBILITY (H2O): 0.07 +- 0.02 ppm VAPOR DENSITY: >1 (Air=1) %

VOLATILES: NA SPECIFIC GRAVITY: 1.190 to 1.272 at 20°C BOILING POINT: 198-200°C at 0.3 mm HG VAPOR PRESSURE: 3.4 x 10 Torr at 25°C

# **Section X - Reactivity Data**

STABILITY: Stable HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID (INCOMPATIBILITY): Heat and fire. Thermal decomposition and burning may produce toxic by-products and an explosion hazard.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide and/or carbon dioxide. Chlorine and hydrogen chloride may be formed.

### **Section XI - Toxicology Information**

In studies with laboratory animals, permethrin did not cause reproductive toxicity or teratogenicity. Analysis of chronic feeding studies in both mice and rats with permethrin resulted in the conclusion that permethrin's potential for induction of oncogenicity in experimental animals is low and that the likelihood of oncogenic effects in humans is nonexistent or extremely low. Long terms feeding studies in animals resulted in increased liver and kidney weights, induction of the liver microsomal drug metabolizing enzyme system and histopathological changes in the lungs and liver. An overall lack of genotoxicity has been demonstrated in mutagenicity testing with permethrin.

CARCINOGENICITY: NTP: No IARC: No OSHA: No

### **Section XII – Ecological Information**

ENVIRONMENTAL HAZARDS: This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Use with care when applying in areas adjacent to any body of water. Do not apply on saturated soil. Do not contaminate ornamental fish ponds. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

### **Section XIII -Disposal Information**

WASTE DISPOSAL: Open dumping or burning of this material is prohibited. An acceptable method of disposal is to burn in an incinerator in accordance with all local, state and federal environmental laws, rules, standards and regulations. Because acceptable methods of disposal may vary by location and because regulatory requirements may change, the appropriate regulatory agencies should be contacted prior to disposal. Steel containers which contained these materials must be crushed and disposed of in a sanitary landfill. Do not cut or weld steel containers.

# **Section XIV- Transportation Information**

UN1268, Petroleum distillates, n.o.s., 3, III

NOTE: The product has be reclassified as a Combustible Liquid per 49 CFR 173.150 (f).

# **Section XV – Other Regulatory Information**

Safety Data Sheet date of last revision: July 25, 2013.

### KEEP OUT OF REACH OF CHILDREN

# ABBREVIATION KEY

N/A: NOT AVAILABLE OR APPLICABLE N/E: NOT ESTABLISHED ND: Not Determined

TLV: THRESHOLD LIMIT VALUE TWA: TIME WEIGHTED AVG./8 HOUR WORKDAY

STEL: SHORT TERM EXPOSURE LIMIT D.O.T.: DEPARTMENT OF TRANSPORTATION

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith.