Version:	4.3
Revision Date:	02/22/2008
Print Date:	11/15/2010

The recipient of this Safety Data Sheet is urged to study it carefully to become aware of hazards, if any, of the product involved. In the interest of safety you should (1) notify your employees, agents and contractors of the information on this sheet (2) furnish a convite significant to the information on this sheet (2) furnish a convite significant to the information on this sheet (2) furnish a convite significant to the information on this sheet (2) furnish a convite significant to the information on this sheet (3) furnish a convite significant to the information on this sheet (3) furnish a convite significant to the information of the information yo

SI

	nterest of safety you should (1) notify your employees, agents and contractors of the information on this sheet,(2) furnish a copy to each o our customers for the product, and (3) request your customers to inform their employees and customers as well.		
SE	CTION 1. PRODUCT AND COMPANY IDENT	IFICATION	
	Product name:	Aqua Chem ® 3 inch Stabilized Tablets	
	Product Use Description:	Swimming Pool Product	
	Chemical nature:	Chlorinated Isocyanurates	
	EPA Registration Number:	67262-17	
	Company:	Producer Recreational Water Products AquaChem P.O. Box 1449 Buford, GA 30515-1449	
	Emergency telephone:	CHEMTREC (US Transportation): (800) 424-9300 (703) 527-3887 Poison Control Center (Medical): (877) 800-5553	
	Customer Service:	(800) 859-7946	
	Prepared by:	Product Safety Department (US) +1 866-430-2775 (EU) +44 (0) 1753.603.000 Email: MSDSRequest@chemtura.com	
SE	CTION 2. HAZARDS IDENTIFICATION		
_	Emergency Overview		
		Form: tablet	
	DANGER!	Colour: white	
		Odour: Chlorine	

MSDS Number: AQUA_4500280 1 of 10

Version:	4.3
Revision Date:	02/22/2008
Print Date:	11/15/2010

Corrosive

Oxidizer

Causes severe eye damage.

Causes skin burns.

May be fatal if absorbed through skin.

Harmful or fatal if swallowed.

May be fatal if inhaled.

Causes respiratory tract irritation.

Avoid breathing dust or vapor.

Do not get in eyes, on skin, or on clothing.

OSHA Hazards:

THIS MATERIAL IS HAZARDOUS UNDER THE CRITERIA OF THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD 29CFR 1910.1200.

Potential Health Effects

Primary Routes of Entry : Eye contact

Skin contact Inhalation Ingestion

Aggravated Medical Condition : Respiratory disorders

Skin disorders

Inhalation : May be fatal if inhaled.

Causes respiratory tract irritation.

Skin : May be fatal if absorbed through skin.

Causes skin burns.

On contact with moisture, this material readily hydrolyzes to acid which may

result in burns if not promptly removed.

Eyes : Causes severe eye damage.

Ingestion : Harmful or fatal if swallowed.

Chronic Exposure : None known.

SECTION 3.COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Component	CAS-No.	Concentration
Trichloro-s-triazinetrione	87-90-1	99 %

MSDS Number: AQUA_4500280

Version:	4.3
Revision Date:	02/22/2008
Print Date:	11/15/2010

SECTION 4. FIRST AID MEASURES

First aid procedures

Inhalation : Remove to fresh air.

If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth, if possible. Call a physician or poison control centre immediately.

Skin contact : Remove contaminated clothing and shoes.

Rinse immediately with plenty of water for at least 15 minutes.

Call a physician or poison control centre immediately.

Eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes.

Remove contact lenses, if present, after 5 minutes, then continue rinsing eye.

Call a physician or poison control centre immediately.

Ingestion : Call a physician or poison control centre immediately.

Have person sip a glass of water if able to swallow.

DO NOT induce vomiting unless directed to do so by a physician or poison

control center.

Do not give anything by mouth to a convulsing or unconscious person.

Notes to physician

Treatment : Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION 5. FIRE-FIGHTING MEASURES

Flammable properties

Flash point : not applicable

Protective equipment and precautions for firefighters

Suitable extinguishing media : Flood with large volumes of water.

Unsuitable extinguishing

media

ABC powder Dry powder

Risk of violent reaction.

Hazardous decomposition

products

: Chlorine containing gases can be produced.

Further information : Do not let fire burn.

Specific hazards during fire

fighting

: Under extreme heat (greater than 400F), this product will evolve noxious chlorine containing gases.

Special protective equipment

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Thoroughly decontaminate fire fighting equipment including all fire fighting wearing

apparel after the incident.

MSDS Number: AQUA 4500280

_		
	Version:	4.3
	Revision Date:	02/22/2008
	Print Date:	11/15/2010

Further information

NFPA Classification : Health Hazard: 3

Fire Hazard: 0 Reactivity Hazard: 1 Specific hazards: OX Class

1 Oxidizer.



Additional advice: Nitrogen trichloride can be generated slowly by the reaction of small quantities of water with a high concentration of this product. Nitrogen trichloride can present an explosion hazard. Immediately after a fire has been extinguished, check for wet or damp material. Any spilled material from burned or broken containers should be assumed contaminated. Neutralize to a non-oxidizing material for safe disposal. Do not attempt to re-close broken containers, even for movement to the disposal area. They should be left open to disperse any nitrogen trichloride that may form. Material which appears undamaged except for being damp on the outside, should be opened and inspected immediately. If the plastic liner (where applicable) of the container is damaged or the material is damp, the material should be chemically treated if allowable, to a non-oxidizing material for safe disposal. Bulging containers require extreme care. Contact the fire department.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Environmental precautions : Do not flush into surface water or sanitary sewer system.

Methods for containment / Methods for cleaning up

Using appropriate protective clothing and safety equipment, contain spilled

material.

Do not add water to spilled material.

Using clean dedicated equipment, sweep and scoop all spilled material, contaminated soil, and other contaminated material and place into clean dry

containers for disposal.

Do not close containers containing wet or damp material. They should be left

open to disperse any hazardous gases that may form.

Additional advice : Do not use floor sweeping compounds to clean up spills.

Do not transport wet or damp material.

Do not contaminate water, food or feed by storage or disposal or cleaning of

equipment.

Treat recovered material as described in the section "Disposal considerations".

SECTION 7. HANDLING AND STORAGE

Handling

Advice on safe handling : Strong oxidizing agent.

Avoid contact with skin, eyes and clothing.

Avoid breathing dust. Avoid breathing vapors.

Do not mix with other chemicals.

Mix only with water.

MSDS Number: AQUA 4500280

Version:	4.3
Revision Date:	02/22/2008
Print Date:	11/15/2010

Never add water to this product.

Always add product to large quantities of water.

Use only clean and dry utensils.

Do not add this product to any dispensing devices containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion.

Contamination with moisture, organic matter or other chemicals may start a chemical reaction and generate heat, hazardous gas, possible fire and explosion.

In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area.

Flood with large volumes of water.

Wash hands thoroughly with soap and water after handling and before eating,

drinking or using tobacco.

Do not handle until all safety precautions have been read and understood.

Storage

Requirements for storage areas and containers

Store in original container.

Temperature not to exceed 52 C (125F) for 24 hours.

Store in a cool, dry, well ventilated area away from heat or open flame.

Keep out of reach of children. Keep away from animals.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures

Engineering measures : Ensure that eyewash stations and safety showers are close to the workstation

location.

Use with adequate ventilation.

Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection : Wear rubber gloves.

Respiratory protection : A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2

requirements must be followed whenever workplace conditions warrant a

respirator's use.

Hygiene measures : Avoid contact with skin, eyes and clothing.

Avoid breathing dust or vapor.

Wash contaminated clothing before reuse.

MSDS Number: AQUA_4500280

_		
	Version:	4.3
	Revision Date:	02/22/2008
	Print Date:	11/15/2010

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form : tablet

Colour : white

Odour : Chlorine

Safety data

Flash point : not applicable

pH : 3 - 3.5

at

77 °F (25 °C) 1% Solution

Melting point/range : 437 - 446 °F (225 - 230 °C)

Decomposes

Boiling point/boiling range : not applicable

Vapour pressure : Not Available

Density : 0.88 - 0.96 g/cm3

Water solubility : 1 - 1.2 g/l

at 77 °F (25 °C)

Relative vapour density : Not Available

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid : High temperatures.

Poor ventilation.
Contamination
Moisture/high humidity.

Materials to avoid : Avoid contact with water on concentrated material in the container. Avoid

contact with easily oxidizable material; ammonia, urea, or similar nitrogen containing compounds; inorganic reducing compounds; floor sweeping compounds; calcium hypochlorite; other swimming pool/spa chemicals in their

concentrated form; alkalis. Avoid contact with all other chemicals.

Hazardous decomposition

products

Type: Hazardous decomposition products Chlorine containing gases can be

produced.

Thermal decomposition : 225 - 230 °C (437 - 446 °F)

Hazardous reactions : Hazardous polymerisation does not occur.

MSDS Number: AQUA_4500280

_		
	Version:	4.3
	Revision Date:	02/22/2008
	Print Date:	11/15/2010

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity LD50 rat

Dose: 809 mg/kg

Acute dermal toxicity rabbit

Dose: > 2,000 mg/kg

Acute inhalation toxicity This material in the form as sold is not expected to produce respiratory effects.

If ground or otherwise in a powdered form, effects similar to a corrosive substance may

occur.

May cause severe irritation of the respiratory tract with coughing, choking, pain and possibly

burns of the mucous membranes.

Skin irritation Direct contact with wet material or moist skin may cause severe irritation, pain and possibly

burns.

Eye irritation : Causes severe eye damage.

SECTION 12. ECOLOGICAL INFORMATION

Additional ecological information

Toxic to aquatic organisms.

Do not discharge effluent containing this product into lakes, streams, ponds or estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your

State Water Board or Regional Office of the EPA.

Component:

Trichloro-s-triazinetrione Toxicity to fish:

LC50

87-90-1 Species: Oncorhynchus mykiss (rainbow trout)

Dose: 0.24 mg/l Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates.: LC50

Species: Daphnia magna (Water flea)

Dose: 0.21 mg/l Exposure time: 48 h

Toxicity to algae:

EC50

Species: Algae Dose: 655 mg/l Exposure time: 96 h

MSDS Number: AQUA 4500280

Version:	4.3
Revision Date:	02/22/2008
Print Date:	11/15/2010

SECTION 13. DISPOSAL CONSIDERATIONS

Further information : Dispose of waste material in compliance with all federal, state, and local

regulations.

If these wastes cannot be disposed of by use according to label instructions, contact your Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. For registered pesticides, contact your State Pesticide Agency.

Do not contaminate ponds, waterways or ditches with chemical or used

container.

Do not put product, spilled product, or filled or partially filled containers into

the trash or waste compactor.

Contact with incompatible materials could cause a reaction or fire.

Improper disposal of excess product, spray mixture or rinsate is a violation of

Federal Law.

Contaminated packaging : Do not re-use empty containers.

Rinse thoroughly before discarding in trash.

SECTION 14. TRANSPORT INFORMATION

DOT UN-Number : 2468

Proper shipping name : Trichloroisocyanuric acid, dry

Class : 5.1 Packing group : II

IATA UN-Number : 2468

Proper shipping name : Trichloroisocyanuric acid, dry

Class : 5.1 Packing group : II

IMDG UN-Number : 2468

Proper shipping name : TRICHLOROISOCYANURIC ACID, DRY

Class : 5.1 Packing group : II

Not recommended for shipment by air Limited Quantity exemption possible

ORM-D Consumer Commodity exemption possible

MSDS Number: AQUA_4500280

_		
	Version:	4.3
	Revision Date:	02/22/2008
	Print Date:	11/15/2010

SECTION 15. REGULATORY INFORMATION

National regulatory information

OSHA Hazards : This material is hazardous under the criteria of the Federal OSHA Hazard

Communication Standard 29CFR 1910.1200.

SARA Hazard category : Fire Hazard

Acute Health Hazard Reactivity Hazard

US State Regulations

US MA RTK (Component) US. The Commonwealth of Massachusetts Department of Public Health; Massachusetts Right-to-know law,The Massachusetts Substance List,

105 CMR 670.000

Massachusetts hazardous substance

Trichloro-s-triazinetrione 87-90-1

US NJ RTK

(Component)

US. New Jersey Department of Environmental Protection -; Bureau of

Hazardous Substances New Jersey Right to Know Law, Hazardous

Substance List [P.L. 1983, C. 315, NJSA 34:5A-1 et seq]

hazardous substance

Trichloro-s-triazinetrione | 87-90-1 | 99 %

US PA RTK

(Component)

US. Commonwealth of Pennsylvania - Department of Labor and Industry;

Pennsylvania Code Title 34, Labor and Industry Chapter 323

hazardous substance

Trichloro-s-triazinetrione 87-90-1 99 %

MSDS Number: AQUA_4500280

9 of 10

99 %

Version:	4.3
Revision Date:	02/22/2008
Print Date:	11/15/2010

The components of this product are reported in the following inventories: TSCA

Additional advice:

FIFRA (Federal Insecticide, Fungicide, Rodenticide Act): This product is a registered pesticide.

SECTION 16. OTHER INFORMATION

Further information

NFPA Classification : Health Hazard: 3

Fire Hazard: 0 Reactivity Hazard: 1

Specific hazards: OX Class 1

Oxidizer.



HMIS Classification : Health Hazard: 3

Flammability: 0 Reactivity: 1

PPI:Ask supervisor or safety specialist for handling instructions

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Since the use of this information and of these opinions and the conditions of use of this product are not within the control of the seller, it is the user's obligation to determine the conditions of safe use of the products.

MSDS Number: AQUA_4500280